



ORIGINALSTYLE

Tileworks







# Tileworks

Welcome to our collection of contemporary tiles, reflecting the most up to date trends in interior design, with formats and finishes in a variety of tastes for a multitude of settings and locations.


We're constantly seeking out porcelain and ceramic tiles from around the world, to offer you a collection that is both beautiful and practical. In this collection you'll find a wide selection of innovative textures as well as different formats and finishes, all thanks to the latest inkjet technology that allows for so many different effects.




**04 Stone Effect**  
Tiles with the look of natural stone



**48 Metal Effect**  
Porcelains with the patina of aged metal



**64 Wood Effect**  
Porcelain tiles with all the character of wood



**80 Concrete Effect**  
The look and feel of concrete and cement



**94 Neutrals**  
Understated elegance and neutral tones



**108 Feature Tiles**  
Interesting textures and show stopping designs



**120 Custom Finishing**  
Our bespoke service for a flawless finish



**121 Information**  
Tile calculator, symbols key and technical details



**126 Index**  
Find products quickly by name or by product code

Please note: Tiles are shown in proportion to products in the same range, but not necessarily to others in this brochure. Please use the stated dimensions as your guide to actual sizes.

# Stone Effect

A range of incredibly realistic stone replications, from dark, moody marble to soft and subtle travertine




# Pietra Lombarda

Capturing the coveted 'Ceppo de Gre' Italian stone style, these Terrazos bring an elegant touch in beautiful grey or white

*Rectified glazed porcelain*



**Off White**  
 CS2190-9090 • 900 x 900 x 10.8mm • 23.9kg per m<sup>2</sup>  
 CS2190-6060 • 600 x 600 x 9.5mm • 22.9kg per m<sup>2</sup>  
 PEI Rating: 4



**Grigio**  
 CS2236-9090 • 900 x 900 x 10.8mm • 23.9kg per m<sup>2</sup>  
 CS2236-6060 • 600 x 600 x 9.5mm • 22.9kg per m<sup>2</sup>  
 PEI Rating: 4



# St Martin

Choose the subtle veining of St Martin for a glamorous yet sophisticated style

*Rectified glazed polished porcelain*



**St Martin\***  
CS2241-12060 • 1200 x 600 x 10.2mm  
24kg per m<sup>2</sup> • PEI Rating: 3



\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



# Marmi Classico

Create a luxury feel with the beautiful gold veining of Bianco Oro, immersed in a pure white marble effect but with all the practicalities of porcelain

*Rectified glazed polished porcelain*



**Bianco Oro\***  
 CS2242-12060 • 1200 x 600 x 10.2mm • 27.8kg per m<sup>2</sup>  
 CS2242-9090 • 900 x 900 x 10.8mm • 23.9kg per m<sup>2</sup>  
 PEI Rating: 3




\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



# Marmi Classico

The deep veined marble effects of Bianco Floe will add detail and contrast into a scheme

*Rectified glazed polished porcelain*



**Bianco Floe\***  
 CS2156-6060 • 600 x 600 x 9.5mm • 22kg per m<sup>2</sup>  
 CS2156-12060 • 1200 x 600 x 10.2mm • 24kg per m<sup>2</sup>  
 PEI Rating: 3



\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching




# Marmi Classico

The beauty of Carrara marble's veining and subtle greys and white, with all the qualities of porcelain

*Rectified glazed porcelain*



**Bianco Carrara Polished\***  
 CS1174-6030 • 600 x 300 x 9.5mm • 22kg per m<sup>2</sup>  
 CS1174-6060 • 600 x 600 x 9.5mm • 22kg per m<sup>2</sup>  
 CS1174-12060 • 1200 x 600 x 10.2mm • 24kg per m<sup>2</sup>  
 PEI Rating: 4



**Bianco Carrara Matt**  
 CS1173-6030 • 600 x 300 x 9.5mm • 22kg per m<sup>2</sup>  
 CS1173-6060 • 600 x 600 x 9.5mm • 22kg per m<sup>2</sup>  
 PEI rating: 4



\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Bianco Carrara Polished CS1174-12060



# Marmi Classico

Add drama with these striking marble effect tiles

*Rectified glazed polished porcelain*



**Paille St. Laurent\***  
CS1144-12060 • 1200 x 600 x 10.2mm  
24kg per m<sup>2</sup> • PEI Rating: 3



**Noir St. Laurent\***  
CS1143-12060 • 1200 x 600 x 10.2mm  
24kg per m<sup>2</sup> • PEI Rating: 3




\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



# Marmi Classico

Make a statement with glamorous  
black marble effect tiles


*Rectified glazed polished porcelain*



**Nero Venato\***  
CS2142-12060 • 1200 x 600 x 10.2mm  
24kg per m<sup>2</sup> • PEI Rating: 3



\*If used on the floor, only suitable for residential, light traffic areas  
as the polished surface may be prone to scratching



# Malibu

A deeply textured effect in two variegated colourways with varied surface details and tones ideal for creating a completely natural look


Glazed porcelain



**Fog**  
CS2238-6060 • 600 x 600 x 9.5mm  
22kg per m<sup>2</sup> • PEI Rating: 4



**Sand**  
CS2237-6060 • 600 x 600 x 9.5mm  
22kg per m<sup>2</sup> • PEI Rating: 4




# Pierre Belle

The neutral colours and subtle directional veining in this classic French Limestone replica give Pierre Belle an enduring popularity

*Rectified glazed porcelain*



**Blanc Matt**  
CS2159-6060 • 600 x 600 x 9.5mm  
22kg per m<sup>2</sup> • PEI Rating: 4



**Blanc Polished\***  
CS2160-6060 • 600 x 600 x 9.5mm  
22kg per m<sup>2</sup> • PEI Rating: 3

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.



\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



# Amelia

In three gorgeous co-ordinating colours, two finishes and a range of sizes; Amelia is beautifully versatile. A large number of faces gives this range a variation in detail that replicates natural stone. See page 26 for Grey and Carbon versions

*Rectified glazed porcelain*



**White Matt**  
 CS1061-9015 • 890 x 145 x 10mm  
 CS1061-9022 • 890 x 220 x 10mm  
 CS1061-9045 • 890 x 442 x 10mm  
 22.9kg per m<sup>2</sup> • PEI Rating: 4



**White Polished\***  
 CS2139-6030 • 590 x 290 x 10mm  
 22.9kg per m<sup>2</sup> • PEI Rating: 4

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.




\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



# Amelia


Rectified glazed porcelain




**Grey Matt**  
 CS1062-9015 • 890 x 145 x 10mm  
 CS1062-9022 • 890 x 220 x 10mm  
 CS1062-9045 • 890 x 442 x 10mm  
 22.9kg per m<sup>2</sup> • PEI Rating: 4



**Grey Polished\***  
 CS2140-6030 • 590 x 290 x 10mm  
 22.9kg per m<sup>2</sup> • PEI Rating: 4



**Carbon Matt**  
 CS1063-9015 • 890 x 145 x 10mm  
 CS1063-9022 • 890 x 220 x 10mm  
 CS1063-9045 • 890 x 442 x 10mm  
 22.9kg per m<sup>2</sup> • PEI Rating: 3



**Carbon Polished\***  
 CS2141-6030 • 590 x 290 x 10mm  
 22.9kg per m<sup>2</sup> • PEI Rating: 3

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.



\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Left hand wall and floor: Amelia Grey CS1062-9022 Right (rear) wall: Amelia White CS1061-9022

# Portland Stone

Tough enough to withstand heavy footfall,  
but with all the beauty and subtlety required  
for residential living spaces

*Rectified glazed porcelain*



**Ash Matt** CS2161-6060 • 600 x 600 x 9.5mm • 22kg per m<sup>2</sup>  
**Ash Matt** CS2161-12060 • 1200 x 600 x 10.5mm • 24kg per m<sup>2</sup>  
 PEI Rating: 3



**Ash Slip-resistant** CS2162-6060 • 600 x 600 x 9.5mm  
 Barefoot Wet (TRRL 55) =46  
 22kg per m<sup>2</sup> • PEI Rating: 3



Wall: Portland Stone Ash Matt CS2161-12060 Floor: Portland Stone Ash Slip Resistant CS2162-6060

# Sandstorm

Distinctive markings and four colourways,  
all suitable for walls and floors

Glazed porcelain



**Gobi**  
CS1200-6030 • 600 x 300 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 4



**Kalahari**  
CS1201-6030 • 600 x 300 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 3



**Mojave**  
CS1202-6030 • 600 x 300 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 3



**Sahara**  
CS1203-6030 • 600 x 300 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 3



Sandstorm Mojave CS1202-6030 with Artworks Collection Vintage White Large Bricks GKT9030



# Essential

These stone effect tiles are contemporary in format and come in cool tones of grey and white in two subtle finishes


*Satin glazed ceramic*



**White**  
CS2170-6020 • 600 x 200 x 9mm  
16kg per m<sup>2</sup>




**Pearl**  
CS2169-6020 • 600 x 200 x 9mm  
16kg per m<sup>2</sup>



# Mediterraneo

Large format neutral tiles that are inspired by Mediterranean cliff landscapes. Mediterraneo offers a light texture and a rustic feel with warm natural tones – see page 36 for Soft Beige and Grey versions

*Rectified glazed porcelain*



**Off White Matt**  
CS2084-9090 • 877 x 877 x 12mm  
24kg per m<sup>2</sup> • PEI Rating: 4



**Off White Polished\***  
CS2086-9090 • 877 x 877 x 12mm  
24kg per m<sup>2</sup> • PEI Rating: 4

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



**Floor:** Mediterraneo Off White Matt CS2084-9090 **Wall:** Montblanc White Brick CS1034-3007 see page 116

# Mediterraneo


Rectified glazed porcelain



**Soft Beige Matt**  
CS2253-9090 • 877 x 877 x 12mm  
24kg per m<sup>2</sup> • PEI Rating: 4



**Soft Beige Polished\***  
CS2254-9090 • 877 x 877 x 12mm  
24kg per m<sup>2</sup> • PEI Rating: 4



**Grey Matt**  
CS2255-9090 • 877 x 877 x 12mm  
24kg per m<sup>2</sup> • PEI Rating: 3



**Grey Polished\***  
CS2256-9090 • 877 x 877 x 12mm  
24kg per m<sup>2</sup> • PEI Rating: 3

When placing polished porcelain tiles on the wall and the matt porcelain tiles on the floor in the same installation there may be slight differences in colour and marble effects. Please check you are happy with the overall look before fixing.

\*If used on the floor, only suitable for residential, light traffic areas as the polished surface may be prone to scratching



Wall: Mediterraneo Grey Polished CS2256-9090 Floor: Mediterraneo Grey Matt CS2255-9090

# Mescla

Add interest to a space with these soft travertine style stone effect tiles


*Glazed porcelain*



**Off White**  
CS2251-6030 • 595 x 295 x 8.5mm  
20.4kg per m<sup>2</sup> • PEI Rating: 4



**Grey**  
CS2252-6030 • 595 x 295 x 8.5mm  
20.4kg per m<sup>2</sup> • PEI Rating: 3



Recess: Mescla Off White CS2251-6030 Main Walls: Mescla Grey CS2252-6030


# Neptune

Subtle, varied shading and veining effects make Neptune a versatile choice

*Glazed porcelain*



**Ice**  
CS2359-6030 • 600 x 300 x 9mm  
20.6kg per m<sup>2</sup> • PEI Rating: 4



**Ivory**  
CS2259-6030 • 600 x 300 x 9mm  
20.6kg per m<sup>2</sup> • PEI Rating: 4



**Gris**  
CS2258-6030 • 600 x 300 x 9mm  
20.6kg per m<sup>2</sup> • PEI Rating: 4




# Alaska

Alaska's cool shades and subtle texture effects are perfectly co-ordinated, in two versatile sizes for covering walls and floors


Glazed porcelain



**White**  
 CS1188-6030-A • 600 x 300 x 10mm  
 CS1188-6060-A • 600 x 600 x 10mm  
 21kg per m<sup>2</sup> • PEI Rating: 4



**Beige**  
 CS1190-6030-A • 600 x 300 x 10mm  
 CS1190-6060-A • 600 x 600 x 10mm  
 21kg per m<sup>2</sup> • PEI Rating: 4



**Grey**  
 CS1189-6030-A • 600 x 300 x 10mm  
 CS1189-6060-A • 600 x 600 x 10mm  
 21kg per m<sup>2</sup> • PEI Rating: 4



Wall: Alaska White CS1188-6030 Floor: Alaska Grey CS1189-6060

# French Limestone

Two subtly coloured limestone effect tiles

*Rectified glazed porcelain*



**Fontenay Grey**  
CS1158-6060 • 600 x 600 x 10mm  
22kg per m<sup>2</sup> • PEI Rating: 5



**Cormatin Blue**  
CS1159-6060 • 600 x 600 x 10mm  
22kg per m<sup>2</sup> • PEI Rating: 5



# Kaamos

An elegant and refined stone look with versatile and practical properties. Use Kammos both inside and out, with both 10mm and 20mm options; it's extremely hard wearing and can even be laid onto to sand, pebbles and directly onto grass. The full colour-bodied construction disguises any wear and tear that may occur on tiles used outside.


*Rectified technical porcelain*



**Ivory Natural**  
CS2181-6060 • 598 x 598 x 10mm  
22.12kg per m<sup>2</sup>



**Ivory Slip Resistant**  
CS2184-6060 • 598 x 598 x 20mm  
44.24kg per m<sup>2</sup>



**Grey Natural**  
CS2180-6060 • 598 x 598 x 10mm  
22.12kg per m<sup>2</sup>




**Grey Slip-resistant**  
CS2183-6060 • 598 x 598 x 20mm  
44.24kg per m<sup>2</sup>



**Black Natural**  
CS2179-6060 • 598 x 598 x 10mm  
22.12kg per m<sup>2</sup>



**Black Slip Resistant**  
CS2182-6060 • 598 x 598 x 20mm  
44.24kg per m<sup>2</sup>



**Please note:** Bespoke finishing pieces of skirtings, bullnose edges and gradino profiles (step treads) can be made to order for this range. Please see page 120 for details.



# Metal Effect

Fabulous porcelain tiles that recreate the beautiful colours and details of worn and rusted metal




# Rush

Three glazed ceramic tiles with beautiful metallic tones

*Rectified glazed metallic-finish ceramic*



**Copper**  
CS2152-6030 • 600 x 300 x 10mm  
18.5kg per m<sup>2</sup>



**Steel**  
CS2153-6030 • 600 x 300 x 10mm  
18.5kg per m<sup>2</sup>



**White**  
CS2173-6030 • 600 x 300 x 10mm  
18.5kg per m<sup>2</sup>



**Walls:** Rush Copper CS2152-6030 and Mosaics Collection White Lady Glass Mosaics **Floor:** Celaya Grey CS1205-6030 see page 90

# Steel

Warm up a space and add an urban edge with these large format oxidised steel effect tiles. Also available in rich Midnight Blue and Black – see page 54

*Rectified glazed metallic-finish porcelain*




**Concept**  
CS2163-12060 • 1200 x 600 x 10.5mm  
24kg per m<sup>2</sup> • PEI Rating: 2




# Steel

These steel effect tiles will add a dramatic dimension and a contemporary feel with their ethereal textures and rich colour variation – see page 52 for a warm, rust coloured option


*Rectified glazed metallic-finish porcelain*



**Midnight Blue**  
CS2164-12060 • 1200 x 600 x 10.5mm  
24kg per m<sup>2</sup> • PEI Rating: 2



**Black**  
CS2165-12060 • 1200 x 600 x 10.5mm  
24kg per m<sup>2</sup> • PEI Rating: 2



Wall: Midnight Blue CS2164-12060 Floor: Portland Stone Ash Slip Resistant CS2162-6060 see page 28

# Steel Matt

With an imposing industrial character and a dash of glamour, these striking metal effect tiles are thoroughly modern yet evocative of a bygone era

*Rectified glazed metallic-finish porcelain*



**Steel Matt**  
CS944-12060 • 1200 x 600 x 10.5mm  
24kg per m<sup>2</sup> • PEI Rating: 4




# Metal Effect


Porcelain tiles with the varied patina of aged metals.

See page 60 for co-ordinating mosaics

*Rectified glazed metallic-finish porcelain*



**Metallic Steel**  
 CS974-6030 • 600 x 300 x 10mm  
 CS974-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup> • PEI Rating: 3



**Metallic Copper**  
 CS975-6030 • 600 x 300 x 10mm  
 CS975-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup> • PEI Rating: 3





Metallic Steel Linear Mosaic CS974-LINMOS

# Metal Effect Mosaics

Elegant linear mosaics to co-ordinate with the Steel and Copper effect tiles on page 58

*Rectified glazed metallic-finish porcelain*



**Metallic Steel Linear Mosaic**  
CS974-LINMOS • 300 x 300 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 3



**Metallic Copper Linear Mosaic**  
CS975-LINMOS • 300 x 300 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 3



Wall: Metallic Copper Linear Mosaic CS975-LINMOS with Odyssey Collection Epoque Blue



White Lappatto CS1120-12020

# Oxide

Beautiful semi-polished plank tiles, with a soft metallic effect

*Rectified glazed lappatto porcelain*



**White Lappatto**  
CS1120-12020 • 1169 x 190 x 11mm  
25.5kg per m<sup>2</sup> • PEI Rating: 4



White Lappatto CS1120-12020



# Wood Effect

These amazingly realistic wood effect tiles, created with the latest inkjet technology, capture the depth and colour of natural wood while providing the practicality and durability of glazed porcelain



# Boreal

A wood effect tile in two tones, choose from 'Natural' a warm, golden varied tone or 'Mix' which has a more rustic appeal all with multiple varying faces

*Rectified glazed porcelain*



**Mix\***  
CS2239-12020 • 1200 x 200 x 10.2mm  
24kg per m<sup>2</sup> • PEI Rating: 4



\*Please note that packs of Boreal 'Mix' tiles feature heavy variations in colour (as shown opposite) for a bold, rustic appearance



**Natural**  
CS2240-12020 • 1200 x 200 x 10.2mm  
24kg per m<sup>2</sup> • PEI Rating: 4



Packs of Boreal 'Natural' tiles vary in detail to accurately replicate wood but are a consistent blend of light golden tones



# Lignum

Beautiful wood-effect planks with a high performance slip-resistant finish that is suitable for use outdoors.  
Available in 6 colours - see page 70 for Grey, Taupe & Nut

*Rectified glazed porcelain*



#### White Natural

CB05-025-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5



#### White Slip Resistant

CB05-026-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5  
Barefoot Wet (TRRL 55) =72



OUTDOOR  
SUITABLE



#### Cream Natural

CB05-028-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5



#### Cream Slip Resistant

CB05-029-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5  
Barefoot Wet (TRRL 55) =72



OUTDOOR  
SUITABLE



#### Beige Natural

CB05-031-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5



#### Beige Slip Resistant

CB05-032-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5  
Barefoot Wet (TRRL 55) =72



OUTDOOR  
SUITABLE



Floor: Lignum Cream Natural CB05-028-10016 with Artworks Collection Brilliant White Half Tiles

# Lignum

Beautiful wood-effect planks with a high performance slip-resistant finish that is suitable for use outdoors.  
Available in 6 colours - see page 68 for White, Cream & Beige

*Rectified glazed porcelain*



**Grey Natural**  
CB05-034-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5



**Grey Slip Resistant**  
CB05-035-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5  
Barefoot Wet (TRRL 55) =72



OUTDOOR  
SUITABLE




**Taupe Natural**  
CB05-040-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5



**Taupe Slip Resistant**  
CB05-041-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5  
Barefoot Wet (TRRL 55) =72



OUTDOOR  
SUITABLE



**Nut Natural**  
CB05-043-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5



**Nut Slip Resistant**  
CB05-044-10016 • 1000 x 165 x 10.5mm • 21.2kg per m<sup>2</sup> • PEI Rating: 5  
Barefoot Wet (TRRL 55) =72



OUTDOOR  
SUITABLE



Walls: (left) Celaya White CS1204-6030 see page 90 and (right) Lignum Taupe Natural CB05-040-10016 Floor: Lignum Taupe Slip Resistant CB05-041-10016

# Krea

Three soft tones, all available in slip resistant formats which can be used with confidence on wet room floors and even areas surrounding pools

*Rectified glazed porcelain*



**Alamo Ash**  
CS1931-12020 • 1200 x 200 x 11mm • 25kg per m<sup>2</sup>



**Alamo Ash Slip Resistant**  
CS1932-12020 • 1200 x 200 x 11mm • 25kg per m<sup>2</sup> • PEI Rating: 3  
Shod Wet (4S96 Wet) = 55 / Barefoot Wet (TRRL 55) =48



**Alamo Natural**  
CS1933-12020 • 1200 x 200 x 11mm • 25kg per m<sup>2</sup>



**Alamo Natural Slip Resistant**  
CS1934-12020 • 1200 x 200 x 11mm • 25kg per m<sup>2</sup> • PEI Rating: 4  
Shod Wet (4S96 Wet) = 55 / Barefoot Wet (TRRL 55) =48



# Arbo

Warm-toned wood effect tiles in plain and slip-resistant finishes, plus an attractive embossed decorative option for adding detail and texture

*Rectified glazed porcelain*



**Carvalo Natural**  
CS1051-12020 • 1169 x 190 x 11mm  
25.5kg per m<sup>2</sup> • PEI Rating: 4



**Carvalo Slip Resistant**  
CS1052-12020 • 1169 x 190 x 11mm  
25.5kg per m<sup>2</sup> • PEI Rating: 4  
Shod Wet (4S96 Wet) = 52 / Barefoot Wet (TRRL 55) = 45



**Carvalo Décor Textured**  
CS1053-12020 • 1169 x 190 x 11mm  
25.5kg per m<sup>2</sup>



Wall: Carvalo Natural CS1051-12020, Carvalo Décor CS1053-12020 Floor: Carvalo Textured Slip Resistant CS1052-12020

# Oakwood

Hard wearing planking that looks good wherever it is installed

*Rectified glazed porcelain*



**Beige**  
CS1212-9015 • 890 x 145 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 4



**Grey**  
CS1213-9015 • 890 x 145 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 4



**Nut**  
CS1210-9015 • 890 x 145 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 4



**Brown**  
CS1211-9015 • 890 x 145 x 10mm  
22.9kg per m<sup>2</sup> • PEI Rating: 4



Oakwood Grey CS1213-9015

# Lakeland

A simple, beautiful wood-effect tile in two colour options, so versatile it works in contemporary and traditional settings alike

*Glazed porcelain*



**Blanco**  
CS2205-9015 • 900 x 150 x 8.5mm  
18.8kg per m<sup>2</sup> • PEI Rating: 4



**Taupe**  
CS2206-9015 • 900 x 150 x 8.5mm  
18.8kg per m<sup>2</sup> • PEI Rating: 4





# Concrete Effect

Concrete and cement effect tiles are chic yet utilitarian with an enduring industrial charm. Our collection includes plank and traditional tile formats, plus slip resistant options for outdoor use

# Peggy

Mid grey concrete effect tiles with a sprinkling of terrazzo style details

*Rectified glazed porcelain*



**Peggy Grigio**  
CS2188-6060 • 600 x 600 x 9.5mm  
22kg per m<sup>2</sup> • PEI Rating: 4



# Nord Ris

A simple cement effect tile with a modern feel,  
ideal for contemporary spaces

*Rectified glazed porcelain*



**Nord Ris**  
CS2187-6060 • 600 x 600 x 9.5mm  
22kg per m<sup>2</sup> • PEI Rating: 4



**Floor:** Nord Ris CS2187-6060 with Artworks Collection Metro Brilliant White

# Brasilia

Über cool and contemporary  
concrete-effect planking

*Rectified glazed porcelain*




**Brasilia Cinza**  
CS936-12020 • 1200 x 200 x 10.2mm  
24kg per m<sup>2</sup> • PEI Rating: 5



# Toronto

Add a luxurious yet contemporary feel with the textured details of Toronto

*Rectified glazed porcelain*



**Off White**  
CS2154-9090 • 877 x 877 x 12mm  
25.3kg per m<sup>2</sup> • PEI Rating: 4



**Grey**  
CS2155-9090 • 877 x 877 x 12mm  
25.3kg per m<sup>2</sup> • PEI Rating: 4



# Celaya

Looks and feels just like  
a plastered surface


*Rectified glazed porcelain*



**White**  
CS1204-6030 • 595 x 295 x 10mm  
CS1204-6060 • 595 x 595 x 10mm  
24.3kg per m<sup>2</sup> • PEI Rating: 4



**Grey**  
CS1205-6030 • 595 x 295 x 10mm  
24.3kg per m<sup>2</sup> • PEI Rating: 3



**Black**  
CS1206-6030 • 595 x 295 x 10mm  
24.3kg per m<sup>2</sup> • PEI Rating: 3




Wall: Celaya White CS1204-6030 Floor: Celaya Black CS1206-6030

# View

Keep it simple and stylish with light or dark grey, both look beautiful over an expanse of space or as a coordinating tile

*Rectified matt ceramic*



**Off White**  
CS2136-6030 • 600 x 300 x 10mm  
16.7kg per m<sup>2</sup>



**Grey**  
CS2144-6030 • 600 x 300 x 10mm  
16.7kg per m<sup>2</sup>






# Neutrals

Tiles from the neutrals palette (whites, greys, blacks, also beiges and browns) can be used to create an elegant and timeless look



# City

Rectified double loaded porcelain



**Venezia Bianco Matt**  
 CS2015-6030 • 600 x 300 x 10mm  
 CS2015-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup>

CS2015-8080 • 800 x 800 x 10mm  
 22.9kg per m<sup>2</sup>



**Venezia Bianco Polished**  
 CS2016-6030 • 600 x 300 x 10mm  
 CS2016-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup>

CS2016-8080 • 800 x 800 x 10mm  
 22.9kg per m<sup>2</sup>



**Modena Avorio Matt**  
 CS2019-6030 • 600 x 300 x 10mm  
 CS2019-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup>



**Modena Avorio Polished**  
 CS2020-6030 • 600 x 300 x 10mm  
 CS2020-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup>



**Please note:** Bespoke finishing pieces of skirtings, bullnose edges and gradino profiles (step treads) can be made to order for this range. Please see page 120 for details.



City Venezia Bianco Polished CS2016-6030

# City


Rectified double loaded porcelain




**Catania Ash Matt**  
 CS2023-6030 • 600 x 300 x 10mm  
 CS2023-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup>



**Catania Ash Polished**  
 CS2024-6030 • 600 x 300 x 10mm  
 CS2024-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup>



**Lucca Nero Matt**  
 CS2025-6030 • 600 x 300 x 10mm  
 CS2025-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup>



**Lucca Nero Polished**  
 CS2026-6030 • 600 x 300 x 10mm  
 CS2026-6060 • 600 x 600 x 10mm  
 22.9kg per m<sup>2</sup>



**Please note:** Bespoke finishing pieces of skirtings, bullnose edges and gradino profiles (step treads) can be made to order for this range. Please see page 120 for details.




**Walls:** Lucca Nero Matt CS2025-6030 and Winchester Elements Rustic Frost Bricks **Floor:** Luca Nero Matt CS2025-6060

# Mineral Natural / Nude

These beautiful and tough tiles will look fabulous on their own or combined. Four colours, a range of sizes, plus slip resistant options make Mineral a versatile choice for all occasions

*Rectified technical porcelain*




**Off White Natural**  
 CS750-6030 • 600 x 300 x 10mm  
 CS750-6060 • 600 x 600 x 10mm  
 CS750-9090 • 900 x 900 x 10mm  
 21.9kg per m<sup>2</sup>



**Off White Polished**  
 CS752-6030 • 600 x 300 x 9mm  
 CS752-6060 • 600 x 600 x 9mm  
 CS752-9090 • 900 x 900 x 9mm  
 19.0kg per m<sup>2</sup>




**Off White Structured**  
 CS751-6030 • 600 x 300 x 10mm  
 CS751-6060 • 600 x 600 x 10mm  
 21.9kg per m<sup>2</sup>  
 Shod Wet (4S96 Wet) = 55  
 Barefoot Wet (TRRL 55) = 44



**Nude Natural**  
 CS744-6030 • 600 x 300 x 10mm  
 CS744-6060 • 600 x 600 x 10mm  
 CS744-9090 • 900 x 900 x 10mm  
 21.9kg per m<sup>2</sup>



**Nude Polished**  
 CS746-6030 • 600 x 300 x 9mm  
 CS746-6060 • 600 x 600 x 9mm  
 CS746-9090 • 900 x 900 x 9mm  
 19.0kg per m<sup>2</sup>



**Nude Structured**  
 CS745-6030 • 600 x 300 x 10mm  
 CS745-6060 • 600 x 600 x 10mm  
 21.9kg per m<sup>2</sup>  
 Shod Wet (4S96 Wet) = 55  
 Barefoot Wet (TRRL 55) = 44



**Please note:** Bespoke finishing pieces of skirtings, bullnose edges and gradino profiles (step treads) can be made to order for this range. Please see page 120 for details.



# Mineral Portland / Grafite


*Rectified technical porcelain*



**Portland Natural**  
 CS747-6030 • 600 x 300 x 10mm  
 CS747-6060 • 600 x 600 x 10mm  
 CS747-9090 • 900 x 900 x 10mm  
 21.9kg per m<sup>2</sup>



**Portland Polished**  
 CS749-6030 • 600 x 300 x 9mm  
 CS749-6060 • 600 x 600 x 9mm  
 CS749-9090 • 900 x 900 x 9mm  
 19.0kg per m<sup>2</sup>



**Portland Structured**  
 CS748-6030 • 600 x 300 x 10mm  
 CS748-6060 • 600 x 600 x 10mm  
 21.9kg per m<sup>2</sup>  
 Shod Wet (4S96 Wet) = 55  
 Barefoot Wet (TRRL 55) = 44

OUTDOOR SUITABLE



**Grafite Natural**  
 CS741-6060 • 600 x 600 x 10mm  
 21.9kg per m<sup>2</sup>



**Grafite Polished**  
 CS743-6060 • 600 x 600 x 9mm  
 19.0kg per m<sup>2</sup>




**Grafite Structured**  
 CS742-6060 • 600 x 600 x 10mm  
 21.9kg per m<sup>2</sup>  
 Shod Wet (4S96 Wet) = 55  
 Barefoot Wet (TRRL 55) = 44

OUTDOOR SUITABLE



**Please note:** Bespoke finishing pieces of skirtings, bullnose edges and gradino profiles (step treads) can be made to order for this range. Please see page 120 for details.




**Floor:** Mineral Grafite Polished CS743-6060 **Wall:** Glassworks Collection Mekong Glass Tiles


# Simplesmente Natural

Sometimes less is more. These soft white tiles are the purest expression of simple, understated elegance

*Rectified technical porcelain*



**White**  
CS614-6060 • 600 x 600 x 10mm  
22kg per m<sup>2</sup>






Ice White Rectified Gloss CS777-6030


# Classic Whites

Pure white ceramic wall tiles in two finishes

*Glazed ceramic*



**Ice White Rectified Gloss**  
CS777-6030 • 600 x 300 x 10mm • 18.8kg per m<sup>2</sup>  
**Ice White Gloss**  
CS431-3060 • 600 x 300 x 10.5mm • 19.7kg per m<sup>2</sup>



**Ice White Matt**  
CS778-6030 • 600 x 300 x 10mm • 18.8kg per m<sup>2</sup>



Ice White Rectified Gloss CS777-6030 with Living Collection Palazzo Pettina Decorated Tiles



# Feature Tiles

Take a look at our collection of décor and feature tiles. Perfect if you want to add interest, texture or something a bit different into your scheme

# Fusuma

Distinctively textured with the appearance of plaster, perfect for creating a contemporary feel, choose from two colours with a décor option to add a new dimension

*Glazed ceramic*



**White**  
CS2223-7525 • 750 x 250 x 8.7mm  
14.98kg per m<sup>2</sup>



Surface detail



**White Décor**  
CS2261-7525 • 750 x 250 x 8.7mm  
14.98kg per m<sup>2</sup>



Surface detail



**Ivory**  
CS2224-7525 • 750 x 250 x 8.7mm  
14.98kg per m<sup>2</sup>



Surface detail



**Ivory Décor**  
CS2262-7525 • 750 x 250 x 8.7mm  
14.98kg per m<sup>2</sup>



Surface detail





# Maison Blanc

Soft blue and cream tones in a woven fabric effect

*Rectified glazed ceramic*



**Maison Blanc**  
CS2032-6030 • 598 x 298 x 10mm  
18.5kg per m<sup>2</sup>

Surface detail



# Montblanc

The deep gloss finish and variegated details of Montblanc will add wow factor to any wall


*Glazed gloss ceramic*



**White**  
CS1034-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



**Anthracite**  
CS1037-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



**Pearl**  
CS1035-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



**Blue**  
CS1036-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



**Décor Pearl**  
CS1039-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



**Décor Blue**  
CS1038-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



# Montblanc


## Glazed gloss ceramic



**White Brick**  
CS1034-3007 • 300 x 75 x 9mm  
16.9kg per m<sup>2</sup>



**Pearl Brick**  
CS1035-3007 • 300 x 75 x 9mm  
16.9kg per m<sup>2</sup>



**Anthracite Brick**  
CS1037-3007 • 300 x 75 x 9mm  
16.9kg per m<sup>2</sup>



**Blue Brick**  
CS1036-3007 • 300 x 75 x 9mm  
16.9kg per m<sup>2</sup>

## Scored glazed gloss ceramic



**Smart Pearl**  
CS1041-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



**Smart Blue**  
CS1040-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



Top: Montblanc White Bricks CS1034-3007 Above: Montblanc Smart Blue CS1040-5020 and Montblanc White CS1034-5020 see page 114



# Madison

High gloss - to add a touch of class to kitchen and bathroom walls, in two tones and a mixed decorative

*Glazed gloss ceramic*



**White**  
CS1106-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



**Silver**  
CS1108-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



**White Mix Gloss**  
CS2146-5020 • 500 x 200 x 9mm  
16.9kg per m<sup>2</sup>



# From start to finish

Get a fully integrated look with made-to-order finishing pieces

We can make skirtings, bullnose edges and gradino profiles (step treads) out of any tiles in the City (p96 & 98), Mineral (p100-102) and Kaamos (p46) ranges. Simply talk to your Original Style Tileworks retailer about what you are looking for and they will be added to the rest of your order. We will engineer these pieces at our in-house facilities to your specific installation requirements.



Bullnosing machine



Top: Gradino (step tread) profiles. Above: Bullnose example

# Glossary

Technical terms explained

**Porcelain** – Tiles that are made with white clay, fired at a high temperature making them dense, hardwearing and perfect for floors. Porcelain tiles have extremely low water absorption of less than 0.5% and can be glazed or unglazed.

**Ceramic** – Tiles that are made with red, brown or white clay, they are softer and less dense meaning they are easier to cut, drill and ideal for wall applications. Ceramic tiles have much higher water absorption and are always glazed.

**Rectified Glazed Porcelain** – Tiles that have been cut during the manufacturing process to meet exact size requirements. They can come in a variety of finishes from matt, glazed, metal effect or satin.

**Rectification** – the process of finishing the tiles by removing the edges to give a cleaner finish and meet exact sizing requirements. As each tile is the same size these can be fitted with minimal grout joints.

**Non-Rectified** - Non-rectified tiles, on the other hand, are tiles with natural, uneven pressed edges that may vary slightly in size and require a wider grout gap.

**Ink-Jet** – A term that refers to the print or pattern on the tile which has been applied using an ink-jet printer.

**Full-bodied** – This refers to tiles whose surface colour is the same all the way through the tile. Also known as ‘through bodied’ or ‘technical’ porcelain, these tiles are made of a single material with no glaze applied making them extremely hard wearing and perfect for any and every application.

**Double Loaded** – These tiles are also unglazed but are made of two layers of different porcelain material with the visible layer comprising the top few mm of the tile. These are also extremely hardwearing but lower cost than full-bodied porcelain.

**Variegated** – When a tile face has a wide variety of colours and tones.

For further technical information, including PEI and PTV, please turn to page 123

## Acknowledgements

Original Style gratefully acknowledges the assistance of the following companies with the photographic settings:

Amara Living	<a href="http://www.amara.com">www.amara.com</a>	Garden Trading	<a href="http://www.gardentrading.co.uk">www.gardentrading.co.uk</a>	Quince Living	<a href="http://www.quinceliving.co.uk">www.quinceliving.co.uk</a>
Amos Lighting (Exeter)	<a href="http://www.amoslighting.co.uk">www.amoslighting.co.uk</a>	H&M	<a href="http://www.hm.com">www.hm.com</a>	Roberts Radio	<a href="http://www.robertsradio.co.uk">www.robertsradio.co.uk</a>
Anthropologie	<a href="http://www.anthropologie.com/en-gb">www.anthropologie.com/en-gb</a>	Habitat	<a href="http://www.habitat.co.uk">www.habitat.co.uk</a>	Samuel Heath	<a href="http://www.samuelheath.co.uk">www.samuelheath.co.uk</a>
Balineum	<a href="http://www.balineum.co.uk">www.balineum.co.uk</a>	Heal's	<a href="http://www.heals.com">www.heals.com</a>	Sapphire Spaces	<a href="http://www.sapphirespaces.co.uk">www.sapphirespaces.co.uk</a>
Bohemia	<a href="http://www.bohemiadesign.co.uk">www.bohemiadesign.co.uk</a>	House of Fraser	<a href="http://www.houseoffraser.co.uk">www.houseoffraser.co.uk</a>	Selfridges	<a href="http://www.selfridges.com">www.selfridges.com</a>
Bathroom Village	<a href="http://www.bathroomvillage.com">www.bathroomvillage.com</a>	Ironmongery Direct	<a href="http://www.ironmongerydirect.co.uk">www.ironmongerydirect.co.uk</a>	Stovax	<a href="http://www.stovax.com">www.stovax.com</a>
Christian Louboutin	<a href="http://www.christianlouboutin.com">www.christianlouboutin.com</a>	Ikea	<a href="http://www.ikea.com/gb">www.ikea.com/gb</a>	Tap For You	<a href="http://www.tapforyou.co.uk">www.tapforyou.co.uk</a>
Cox & Cox	<a href="http://www.coxandcox.co.uk">www.coxandcox.co.uk</a>	John Lewis	<a href="http://www.johnlewis.com">www.johnlewis.com</a>	Tap Warehouse	<a href="http://www.tapwarehouse.com">www.tapwarehouse.com</a>
Cult Furniture	<a href="http://www.cultfurniture.com">www.cultfurniture.com</a>	Jones the Bootmakers	<a href="http://www.jonesbootmaker.com">www.jonesbootmaker.com</a>	The Cotswold Company	<a href="http://www.cotswoldco.com">www.cotswoldco.com</a>
The Conran Shop	<a href="http://www.conranshop.co.uk">www.conranshop.co.uk</a>	Kartell	<a href="http://www.kartell.com/gb">www.kartell.com/gb</a>	The Scandinavian Shop	<a href="http://www.scandinavianshop.co.uk">www.scandinavianshop.co.uk</a>
Darts Farm	<a href="http://www.dartsfarm.co.uk">www.dartsfarm.co.uk</a>	L'Occitane	<a href="http://www.loccitane.com">www.loccitane.com</a>	The White Company	<a href="http://www.thewhitecompany.com">www.thewhitecompany.com</a>
Debenhams	<a href="http://www.debenhams.com">www.debenhams.com</a>	Laura Ashley	<a href="http://www.lauraashley.com">www.lauraashley.com</a>	Toby's Reclamation	<a href="http://www.tobysreclamation.com">www.tobysreclamation.com</a>
Decorum	<a href="http://www.decorum-shop.co.uk">www.decorum-shop.co.uk</a>	Mason Cash	<a href="http://www.masoncash.co.uk">www.masoncash.co.uk</a>	Totnes Tile Studio	tel 44 (0)1803 865865
Designers Guild	<a href="http://www.designersguild.com">www.designersguild.com</a>	Next	<a href="http://www.next.co.uk">www.next.co.uk</a>	UKBW	<a href="http://www.ukbw.com">www.ukbw.com</a>
Drench	<a href="http://www.drench.co.uk">www.drench.co.uk</a>	Nordic House	<a href="http://www.nordichouse.co.uk">www.nordichouse.co.uk</a>	Victorian Plumbing	<a href="http://www.victorianplumbing.co.uk">www.victorianplumbing.co.uk</a>
Dune	<a href="http://www.dunelondon.com">www.dunelondon.com</a>	Oliver Bonas	<a href="http://www.oliverbonas.com">www.oliverbonas.com</a>	Wayfair	<a href="http://www.wayfair.co.uk">www.wayfair.co.uk</a>
Fern & Grey	<a href="http://www.fernandgrey.com">www.fernandgrey.com</a>	Orange Tree	<a href="http://www.theorangetree.co.uk">www.theorangetree.co.uk</a>	West Elm	<a href="http://www.westelm.co.uk">www.westelm.co.uk</a>
French Connection	<a href="http://www.frenchconnection.com">www.frenchconnection.com</a>	Plumb Centre (Exeter)	<a href="http://www.plumbcenter.co.uk">www.plumbcenter.co.uk</a>	William Holland	<a href="http://www.williamholland.com">www.williamholland.com</a>
Furniture Village	<a href="http://www.furniturevillage.co.uk">www.furniturevillage.co.uk</a>	Pooky	<a href="http://www.pooky.com">www.pooky.com</a>	Zara	<a href="http://www.zarahome.com/gb">www.zarahome.com/gb</a>

# Tile area calculator

Calculateur de surface de carrelage / Rechner für Fliesenfläche / Rekenhulpmiddel voor te betegelen ondergronden

Nominal size*	
Tiles / Carreaux / Fliesen / Tegels	Per m <sup>2</sup>
170 x 170	34.6
200 x 1200	4.2
250 x 60	66.7
250 x 250	16.0
250 x 500	8.0
300 x 75	44.4
300 x 300	11.1
300 x 600	5.6
340 x 170	17.3
340 x 340	8.7
450 x 450	4.9
500 x 200	10.0
500 x 500	4.0
585 x 585	2.9
600 x 250	6.6
600 x 600	2.8
605 x 605	2.7
877 x 145	7.9
877 x 291	3.9
890 x 145	7.7
890 x 220	5.1
890 x 442	2.5
900 x 150	7.4
900 x 300	3.7
900 x 900	1.2
1169 x 190	4.5
1200 x 200	4.2
1200 x 300	3.7
1200 x 600	1.4

\*All of the above dimensions are subject to a tolerance of ± 2mm. Quantities shown exclude grout gaps between each tile. Please allow an additional 5% for cutting/wastage.

\*Remarque : Toutes les dimensions précédentes sont sujettes à une tolérance de ± 2 mm. Les quantités démontrées n'incluent pas les joints entre les carreaux. Nous vous recommandons de prévoir au moins 5% supplémentaires pour les chutes.

\*Beachten Sie bitte: Alle oben genannten Abmessungen können Abweichungen von ± 2mm aufweisen. Angegebene Mengen schliessen die Fugen zwischen jeder Fliese aus.

Es empfiehlt sich, mindestens 5% material für etwaiger Bruch einzuplanen.

\*Voor alle afmetingen geldt een tolerantiewaarde van ± 2mm. Voeg openingen tussen tegels zijn niet meegerekend in de aangegeven hoeveelheden. Houd rekening met vijf procent snijverlies.

# Keys to Symbols

Signification des symboles / Symbolerklärung / Sleutel voor symbolen

Wet & dry walls ( <i>inc. showers and wet rooms</i> )	
Wet & dry floors ( <i>inc. showers and wet rooms</i> )	
Dry walls only	
Dry floors only	
Internal use only	
Internal & external use	
<b>External use</b> All our porcelain tiles have passed the ISO 10545-12 frost resistance test, making them suitable for external use. We recommend that only tiles with shod wet (4596 shod wet) slip resistance results of 36+ are used in external situations. Original Style Ltd cannot be held liable for cracking that can occur due to adverse weather conditions or poor installation.	

Murs secs et humides ( <i>dont douches et douches italiennes</i> )	
Sols secs et humides ( <i>dont douches et douches italiennes</i> )	
Murs secs uniquement	
Sols secs uniquement	
Usage intérieur uniquement	
Usage intérieur et extérieur	
<b>Usage extérieur</b> Tous nos carreaux en porcelaine ont passé le test ISO 10545-12 de résistance au gel et conviennent donc à un usage extérieur. Nous recommandons toutefois de poser en extérieur uniquement les carreaux dont la résistance au glissement est supérieure à 36 (selon les résultats de la VEP, 4596). Original Style Ltd déclinera toute responsabilité en cas de fissuration des carreaux due à des conditions climatiques défavorables ou à une mauvaise installation.	

Nass- und Trockenmauern ( <i>Inkl. Duschen und Nassräume</i> )	
Nass- und Trockenböden ( <i>Inkl. Duschen und Nassräume</i> )	
Nur für Trockenwände	
Nur für Trockenböden	
Nur für Innenbereiche	
Für Innen- und Außenbereiche	
<b>Externe Nutzung</b> Unsere gesamtes Feinsteinzeug hat den Frostbeständigkeitstest nach ISO 10545-12 bestanden, so dass sie für den externen Gebrauch eingesetzt werden können. Wir empfehlen, dass nur Fliesen mit einer Rutschfestigkeit von über 36 in externen Bereichen verwendet werden. Original Style Ltd haftet nicht für Risse, die durch widrige Witterungsverhältnisse oder eine falsche Installation auftreten.	

Natte en droge wanden ( <i>incl. douches</i> )	
Natte en droge vloeren ( <i>incl. douches</i> )	
Alleen droge wanden	
Alleen droge vloeren	
Alleen voor binnengebruik	
Voor binnen- en buitengebruik	
<b>Buitengebruik</b> Al onze tegels hebben de vorstbestendigheidstest doorstaan van ISO 10545-12, zodat ze geschikt zijn voor buitengebruik. We raden aan dat alleen tegels met een (4596 shod wet) slipbestendigheid van 36+ buiten worden gebruikt. Original Style Ltd is niet aansprakelijk voor scheuren die optreden als gevolg van slechte weersomstandigheden of een onjuiste installatie.	

# PEI wear ratings

**Wear ratings for glazed porcelains and ceramics, in line with ISO 10545-7**

Taux d'usure pour les Porcelaines Émaillées et les Céramiques, selon la norme ISO 10545-7 / Verschleißwerte für glasiertes Feinsteinzeug und Keramik, nach ISO 10545-7 / Slijtageclassificatie voor geglazuurd porselein en keramiek, in overeenstemming met ISO 10545-7

**2** Floor coverings in areas that are walked on by soft soled or normal footwear with low traffic and occasional scratching / Revêtements pour les sols sur lesquels on marche avec des chaussures aux semelles souples ou normales, où le passage est faible et où le risque de rayures est peu élevé / Bodenbeläge für Bereiche, die mit weich besohnten oder normalen Schuhen betreten werden. Geringer Durchgangsverkehr, gelegentliche Kratzer / Vloeroppervlak op plaatsen met licht verkeer en incidentele krassen waar men op loopt met schoenen met zachte zolen of normale schoenen

**3** Floor coverings in areas that, with normal footwear, are walked on more often with small amounts of scratching and dirt. Suitable for residential kitchens, halls and corridors / Revêtements pour les sols sur lesquels le passage avec des chaussures normales est plus fréquent, et où rayures et salissures sont légères. Convient aux cuisines, aux halls et aux couloirs domestiques / Bodenbeläge für Bereiche, die mit normalem Schuhwerk betreten werden. Geringe Kratzer und Verschmutzungen. Geeignet für Wohnküchen, Flure und Dielen / Vloeroppervlak op plaatsen waar men, met normale schoenen, vaker loopt met kleine hoeveelheden vuil en krassen. Geschikt voor huishoudelijke keukens, hallen en gangen

**4** Floor coverings that are walked on by regular traffic with some scratching dirt. Suitable for entrances, commercial kitchens etc / Revêtements pour les sols sur lesquels le passage est régulier avec salissures et rayures. Convient aux entrées, aux cuisines commerciales, etc / Bodenbeläge für Bereiche mit regelmäßigem Durchgang und gewissen Kratzverschmutzungen. Geeignet für Eingänge, Großküchen etc / Vloeroppervlak op plaatsen waar regelmatig op wordt gelopen met wat krassend vuil. Geschikt voor ingangen, commerciële keukens, enz

**5** Floor coverings that are subject to severe pedestrian traffic over sustained periods with some scratching dirt. Suitable for shopping centres, airport concourses, hotel foyers etc / Revêtements pour les sols sur lesquels le passage est intense sur de longues périodes, avec salissures et rayures. Convient aux centres commerciaux, aux halls d'aéroport, aux réceptions d'hôtels, etc. / Bodenbeläge für Bereiche mit starkem Fußgängerverkehr über längere Zeiträume mit gewissen Kratzverschmutzungen. Geeignet für Einkaufszentren, Flughafengebäude, Empfangshallen etc / Vloeroppervlak op plaatsen die worden blootgesteld aan een grote hoeveelheid voetgangers gedurende langere perioden met krassend vuil. Geschikt voor winkelcentra, luchthavenhallen, hotelfoyers, enz

# Deep abrasion wear ratings

**Wear rating: for unglazed porcelains in line with ISO 10545-6 (<175mm<sup>3</sup>)** Passes current tests for deep abrasion in line with ISO 10545-6

**Taux d'usure : pour les porcelaines et les céramiques non émaillées, selon la norme ISO 10545-6 (<175mm<sup>3</sup>)** Ces carreaux satisfont les normes d'essai actuelles d'abrasion profonde conformément à ISO 10545-6

**Verschleißwerte: für unglasiertes Feinsteinzeug und unglasierte Keramik, nach ISO 10545-6 (<175 mm<sup>3</sup>)** Diese Fliesen entsprechen der höchsten Abnutzungsprüfungsklassifizierung nach ISO 10545-6

**Slijtagebestendigheid: voor ongeglaazuurd porselein en keramiek conform ISO 10545-6 (<175 mm<sup>3</sup>)** Deze tegels doorstaan de actuele slijtagebeoordelingen conform ISO 10545-6

Slip readings - please note:

Values issued by Original Style for slip resistance relate to the test results as supplied from Lucideon or from in-house testing. These values can change during the lifetime of a tile as a result of the following factors: Surface wear / Poor cleaning regimes / Sealants or wax coatings, correctly or incorrectly applied / Chemical exposures which may acid etch the surface / Body fats build up especially when placed in barefoot areas. If in any doubt always retest the surface on a regular basis.

**Large Formats**

We do not recommend the use of large format ceramic or porcelain tiles in a 50:50 brickbond pattern installation. The reason for this is that slight curvature in the tile may become noticeable and may not be deemed to be visually acceptable.

For installation of tiles larger than 600mm we recommend the use of a levelling clip system to help reduce lipping at grout joints and assist in achieving the most level result.

Nous déconseillons d'utiliser des carreaux grand format en céramique ou en porcelaine dans les installations aux motifs « mur de brique 50:50 ». En effet, ce type d'installation risque d'accentuer la légère courbure de ces carreaux, ce qui pourrait altérer défavorablement l'effet visuel recherché.

Großformatige Keramik- und Porzellan-Fliesen werden für die Verlegung im 50:50 Backsteinmuster nicht empfohlen, da mögliche leichte Krümmungen in den Fliesen dadurch sichtbar werden und ein visuell nicht zufriedenstellendes Resultat ergeben könnten.

Wij adviseren tegen het gebruik van keramische of porseleinen tegels met een groot formaat in een baksteen patroon (50:50 brickbond) installatie. De reden hiervoor is dat de lichte kromming in de tegel duidelijker zichtbaar kan zijn. Dit kan een minder visueel aanvaardbaar eindresultaat veroorzaken.

# Slip testing

Pendulum test BS7976-2



This test is designed to simulate the action of a slipping foot and uses a weighted swinging arm which contacts the surface of the tile with a standard rubber slider that represents the rubber sole of a shoe in both dry and wet conditions. The slip resistance is the upswing measured from a scale on the instrument. The greater the upswing, the lower the slip resistance and the greater the slip potential.

Accepted limits for flooring using this technique are:

SLIP POTENTIAL	SLIP RESISTANCE VALUE USING 4596 RUBBER SLIDER
High	0 to 24
Moderate	25 to 35
Low	36+

Pendulum test BS7976-2

(Transport & Road Research Laboratory)

As above, to determine the wet co-efficient of friction using a TRRL rubber slider to represent barefoot in wet conditions (to test as appropriate).

Accepted limits for flooring using this technique are:

SLIP POTENTIAL	SLIP RESISTANCE VALUE TRRL 55 RUBBER SLIDER
High	19 and below
Moderate	20 to 39
Low	40 to 74

The testing is conducted in-house.

## Important information

### Nominal dimensions

We quote nominal dimensions throughout this brochure which are subject to slight variation within internationally accepted standards.

### Shade variation

Shade variation is an inherent feature of Tileworks porcelain and ceramic tiles. We recommend that tiles are loosely laid out and 'blended' prior to fixing to achieve the most pleasing distribution of shades. Differences between batches can be more marked, for this reason we recommend that you buy all the tiles at one time. No liability for shading issues can be accepted after installation.

### Adhesives, grouts and sealing

Always use high quality adhesives and grouts following manufacturers' recommendations for their use and suitability for the type of tile, the application and the substrate being tiled. As with any polished surface, polished porcelain is susceptible to staining if it is not protected with an appropriate sealer such as LTP MPG Sealer. We recommend that all of our polished porcelains are treated with an appropriate product. Always follow the manufacturer's instructions.

### Installation, adhesives, grouts, sealants, cleaning and maintenance

Please refer to our Fixing Guide at [www.originalstyle.com/guides](http://www.originalstyle.com/guides) before commencing any installations as Original Style cannot accept responsibility for any faults after tiles have been fixed. Original Style will not be held liable for any claims regarding the inappropriate use of sealing, adhesives or grouting materials. For technical queries, please contact our technical department at [info@originalstyle.com](mailto:info@originalstyle.com)

### Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles.

### Limits of liability

Original Style accepts no liability for the faulty installation of its products. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Claims must be reported within seven working days from receipt of the tiles. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Please be advised that installation constitutes acceptance of the quality, size, colour, texture and shade of the tiles. Original Style warrants that its tiles conform to their description and are fit for their purpose. Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

It is imperative to follow sealer, grout and adhesive manufacturers' instructions regarding their suitability with our products. If in doubt please consult the sealant/grout/adhesive stockist from whom you purchased the products. Original Style makes no representations as to the fitness for purpose of third party sealants, adhesives and grouts. Please note the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

## Informations essentielles

### Dimensions nominales

Les dimensions indiquées dans cette brochure correspondent aux dimensions nominales, qui sont sujettes à de légères variations dans les limites des normes internationalement admises.

### Nuances de teinte

Les nuances de teinte sont une caractéristique inhérente aux carreaux en céramique et porcelaine Tileworks. Nous vous conseillons de positionner et d'assortir les carreaux avant de les cimenter afin d'obtenir la meilleure distribution possible des nuances. Les différences peuvent être plus flagrantes entre les lots; pour cette raison, nous vous recommandons d'acheter l'ensemble de vos carreaux en même temps. Une fois la pose réalisée, tout problème lié aux nuances de teinte ne saurait donner lieu à réclamation.

### Colles et mortiers

Utilisez systématiquement des colles et mortiers de haute qualité, en respectant les recommandations des fabricants en termes d'utilisation et de convenance vis-à-vis du type de carrelage, du mode d'application et de la surface à carreler.

### Imperméabilisation

Comme toute surface polie, la porcelaine risque de se tacher si elle n'est pas protégée avec un produit imperméabilisant adapté. Nous recommandons de traiter toutes les porcelaines polies avec un produit adapté en suivant toujours les instructions du fabricant.

### Installation, adhésifs, joints, imperméabilisants, nettoyage et entretien

Merci de vous reporter au guide d'installation sur [www.originalstyle.com/guides](http://www.originalstyle.com/guides) avant de commencer l'installation de votre carrelage Original Style car nous ne pouvons accepter la responsabilité pour les défauts une fois l'installation faite. Original Style déclinera toute responsabilité en cas de réclamation concernant un usage inadapté de produits imperméabilisants, de colles ou de ciments.

Pour tout renseignement technique, veuillez contacter notre département technique sur [info@originalstyle.com](mailto:info@originalstyle.com)

### Photographies

En raison des variations au niveau de l'éclairage du studio et des encres d'impression, les couleurs affichées dans ce catalogue sont susceptibles d'être légèrement différentes de celles des carreaux réels.

### Limitation de responsabilité

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses produits. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité d'Original Style sera confinée, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas les dommages indirects. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Notez que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture, de la taille et de la teinte des carreaux. Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus. Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de la compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Il est impératif de suivre les instructions des fabricants de colles et de ciments-joints afin d'en vérifier la compatibilité avec nos produits. En cas de doute, consultez le revendeur qui vous aura fourni la colle ou le ciment-joint. Original Style n'assumera aucune responsabilité en ce qui concerne la compatibilité ou l'usage de colles et de ciments-joints tiers. Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques.

## Wichtige Informationen

### Nennmasse

In dieser Broschüre werden Nennmaße angegeben die innerhalb internationaler gültigen Standards leicht veränderlich sind.

### Variationen des Farbtons

Bedingt durch den Herstellungsprozess entstehen geringfügige Farbvariationen. Wir empfehlen, die Fliesen vor dem Verkleben lose zu verlegen und dann zu "mischen", um die angenehmste Verteilung der Farbtöne zu erreichen. Unterschiede zwischen mehreren Chargen können ausgeprägter sein, daher empfehlen wir Ihnen, alle Fliesen auf einmal zu kaufen. Nach der Verlegung der Fliesen kann keinerlei Haftung für Probleme mit dem Farbton mehr übernommen werden.

### Kleber & fugenmörtel

Verwenden Sie immer qualitativ hochwertige Kleber und Fugenmörtel und befolgen Sie die Herstelleranweisungen in Bezug auf deren Verwendung und Eignung für die Fliesenart, die Anwendung und den zu fliesenden Untergrund.

### Versiegelung

Wie bei jeder polierten Oberfläche ist auch poliertes Porzellan anfällig für Fleckenbildung, wenn es nicht mit einer geeigneten Versiegelung geschützt wird. Wir empfehlen, dass alle unsere polierten Porzellanfliesen mit einem geeigneten Produkt behandelt werden. Folgen Sie immer den Anweisungen des Herstellers.

### Installation, kleber, fugenmörtel, versiegelungsmittel, reinigung und pflege

Bitte lesen Sie vor Beginn der Installation die Installationsanleitung unter [www.originalstyle.com/guides](http://www.originalstyle.com/guides), da Original Style keine Haftung für Fehler übernehmen kann, nachdem die Fliesen befestigt wurden. Original Style übernimmt keine Haftung für jegliche Ansprüche in Bezug auf die inkorrekte Verwendung von Versiegelungen, Kleber oder Fugenmaterialien.

Bei technischen Fragen wenden Sie sich bitte an unsere technische Abteilung unter [info@originalstyle.com](mailto:info@originalstyle.com)

### Photographie

Aufgrund variierender Beleuchtungsverhältnisse im Studio oder bei Druckfarben können die im Katalog zu sehenden Farben geringfügig von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie immer zuvor einen Einzelhändler für Original Style nach Mustern fragen.

### Haftungsbeschränkung

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Original Style lediglich auf den Artikelaustausch oder Kostenrückerstattung. Weitere Schäden werden nicht abgedeckt. Vor der Installation sind die Fliesen zu prüfen. Nachträgliche Reklamationen können nicht berücksichtigt werden.

Bitte beachten Sie, dass Sie durch die Installation anzeigen, dass hinsichtlich Qualität, Farbgebung, Textur, Größe oder Schattierung keine Beanstandungen vorliegen. Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen.

Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Wartungsarbeiten. Beachten Sie bitte, dass die Fliesen auf Säure basierte Reinigungsmittel reagieren und ihr Aussehen verändern können.

## Belangrijke infomatie

### NOMINALE AFMETINGEN

Tegelafmetingen kunnen enigszins afwijken van de nominale afmetingen binnen internationaal geaccepteerde standaarden.

### KLEURNUANCES

Uiteenlopende kleurnuances zijn een inherente eigenschap van porseleinen en keramische tegels van Tileworks. Voordat u gaat tegelzetten bevelen wij u aan om alle bestelde tegels eerst te mixen, waardoor er prachtige kleurschakeringen ontstaan. Wij raden u aan alle benodigde tegels in 1 keer te bestellen, omdat er verschillen kunnen zijn tussen de serie tegels onderling. Als de tegels eenmaal zijn gezet, kunnen wij niet aansprakelijk worden gehouden voor mogelijke ontevredenheid over de nuanceverschillen.

### LIJMEN EN VOEGMIDDELEN

Gebruik altijd lijm en voegmiddel van hoge kwaliteit en volg de richtlijnen van de producenten op inzake gebruik en geschiktheid voor het type tegel, het aanbrengen en de ondergrond die wordt betegeld.

### IMPREGNEREN

Net als voor alle andere gepolijste oppervlakken het geval is, kan gepolijst porselein vlekken gaan vertonen als het niet is behandeld met een hiervoor bestemd impregneermiddel. We raden aan dat al onze gepolijste porseleinen tegels worden behandeld met een hiervoor bestemd product. Volg altijd de aanwijzingen van de producent op.

### Installatie, lijmen, voegmiddelen, impregneermiddelen, reiniging en onderhoud

Raadpleeg de installatiegids op [www.originalstyle.com/guides](http://www.originalstyle.com/guides) voordat u begint met het leggen, aangezien Original Style niet verantwoordelijk is voor defecten nadat de tegels zijn gezet. Original Style is niet aansprakelijk voor claims gerelateerd aan het onjuiste gebruik van impregneer-, lijm- of voegmaterialen.

Neem contact op met onze technische afdeling via [info@originalstyle.com](mailto:info@originalstyle.com) voor technische problemen.

### Fotografie

Als gevolg van variaties in studiobelichting en printinkten kunnen de in deze brochure afgebeelde kleuren enigszins afwijken van die van de daadwerkelijke tegels. We raden altijd aan dat u uw Original Style-leverancier vraagt om enkele voorbeelden.

### Aansprakelijkheidsbeperking

Original Style is niet aansprakelijk voor de verkeerde installatie van zijn producten. In geval van claims met betrekking tot de tegels zelf is de aansprakelijkheid van Original Style, voor zover dit wettelijk is toeestaan, beperkt tot het vervangen van het product of het vergoeden van de kosten van het product, en is gevolgschade niet inbegrepen. Claims moeten binnen zeven werkdagen na ontvangst van de tegels worden ingediend. De tegels moeten worden geïnspecteerd voordat deze worden gezet. Claims worden niet behandeld nadat de tegels zijn gezet. We wijzen u erop dat tot de zetting het aanvaarden van de hoeveelheid, kleur, structuur, afmetingen en schakering van de tegels behoort.

Original Style garandeert dat zijn tegels overeenkomen met hun omschrijving en geschikt zijn voor het beoogde gebruik. Original Style maakt geen andere uitdrukkelijke of impliciete garanties met betrekking tot de geschiktheid van de producten voor bepaalde installaties. We maken geen garanties, uitdrukkelijk of impliciet, ten aanzien van slijtagebestendigheid of onderhoudsmaatregelen.

Het is van groot belang dat de instructies van de producent voor voegen lijmiddelen worden opgevolgd ten aanzien van hun geschiktheid in combinatie met onze producten. Raadpleeg de leverancier van de voeg- en lijmiddelen van wie u de producten hebt gekocht in geval van twijfel. Original Style maakt geen beweringen over de geschiktheid voor gebruik van de lijmen en voegmiddelen van derde partijen. We wijzen u erop dat het gebruik van bepaalde bijtende reinigingsmiddelen kan leiden tot een reactie van de tegels, waarvan het uiterlijk kan veranderen.

## Index by name

Name	Code	Section	Page
Alaska Beige	CS1190-6030-A	Stone Effect	42
Alaska Beige	CS1190-6060-A	Stone Effect	42
Alaska Grey	CS1189-6030-A	Stone Effect	42
Alaska Grey	CS1189-6060-A	Stone Effect	42
Alaska White	CS1188-6030-A	Stone Effect	42
Alaska White	CS1188-6060-A	Stone Effect	42
Amelia Carbon Polished	CS2141-6030	Stone Effect	26
Amelia Grey Polished	CS2140-6030	Stone Effect	26
Amelia White Polished	CS2139-6030	Stone Effect	24
Amelia Carbon	CS1063-9015	Stone Effect	26
Amelia Carbon	CS1063-9045	Stone Effect	26
Amelia Carbon	CS1063-9022	Stone Effect	26
Amelia Grey	CS1062-9045	Stone Effect	26
Amelia Grey	CS1062-9015	Stone Effect	26
Amelia Grey	CS1062-9022	Stone Effect	26
Amelia White	CS1061-9022	Stone Effect	24
Amelia White	CS1061-9015	Stone Effect	24
Amelia White	CS1061-9045	Stone Effect	24
Arbo Carvalho Décor	CS1053-12020	Wood Effect	74
Arbo Carvalho Natural	CS1051-12020	Wood Effect	74
Arbo Carvalho Textured Slip Resistant	CS1052-12020	Wood Effect	74
Bianco Cararra Matt	CS1173-6030	Stone Effect	14
Bianco Cararra Matt	CS1173-6060	Stone Effect	14
Bianco Cararra Polished	CS1174-6030	Stone Effect	14
Bianco Cararra Polished	CS1174-6060	Stone Effect	14
Bianco Floe	CS2156-12060	Stone Effect	12
Bianco Floe	CS2156-6060	Stone Effect	12
Bianco Oro Polished	CS2242-12060	Marble Effect	10
Bianco Oro Polished	CS2242-9090	Marble Effect	10
Boreal Natural	CS2240-12020	Wood Effect	66
Boreal Mix	CS2239-12020	Wood Effect	66
Brasilia Cinza Rectified	CS936-12020	Concrete Effect	86
Celaya Black	CS1206-6030	Concrete Effect	90
Celaya Grey	CS1205-6030	Concrete Effect	90
Celaya White	CS1204-6060	Concrete Effect	90
Celaya White	CS1204-6030	Concrete Effect	90
City Range Catania Ash Matt	CS2023-6030	Neutral	98
City Range Catania Ash Matt	CS2023-6060	Neutral	98
City Range Catania Ash Polished	CS2024-6030	Neutral	98
City Range Catania Ash Polished	CS2024-6060	Neutral	98
City Range Lucca Nero Matt	CS2025-6030	Neutral	98
City Range Lucca Nero Matt	CS2025-6060	Neutral	98

Name	Code	Section	Page
City Range Lucca Nero Polished	CS2026-6030	Neutral	98
City Range Lucca Nero Polished	CS2026-6060	Neutral	98
City Range Modena Avorio Matt	CS2019-6030	Neutral	96
City Range Modena Avorio Matt	CS2019-6060	Neutral	96
City Range Modena Avorio Polished	CS2020-6030	Neutral	96
City Range Modena Avorio Polished	CS2020-6060	Neutral	96
City Range Venezia Bianco Matt	CS2015-6030	Neutral	96
City Range Venezia Bianco Matt	CS2015-6060	Neutral	96
City Range Venezia Bianco Polished	CS2016-6030	Neutral	96
City Range Venezia Bianco Polished	CS2016-6060	Neutral	96
Classic Whites Ice Glazed Ceramic	CS431-6030	Neutral	106
Classic Whites Ice White Rect.Gloss	CS777-6030	Neutral	106
Classic Whites Ice White Rect.Matt	CS778-6030	Neutral	106
Essential Pearl Satin	CS2169-6020	Neutral	32
Essential White Satin	CS2170-6020	Neutral	32
French Limestone Cormatin Blue	CS1159-6060	Stone Effect	44
French Limestone Fontenay Grey	CS1158-6060	Stone Effect	44
Fusuma Ivory	CS2224-7525	Fabric Effect	110
Fusuma White	CS2223-7525	Fabric Effect	110
Fusuma Ivory Décor	CS2262-7525	Fabric Effect	110
Fusuma White Décor	CS2261-7525	Fabric Effect	110
Kaamos Black	CS2179-6060	Stone Effect	46
Kaamos Black	CS2182-6060	Stone Effect	46



Boreal Mix CS2239-12020 see page 66

Name	Code	Section	Page
Kaamos Grey	CS2180-6060	Stone Effect	46
Kaamos Grey	CS2183-6060	Stone Effect	46
Kaamos Ivory	CS2181-6060	Stone Effect	46
Kaamos Ivory	CS2184-6060	Stone Effect	46
Krea Alamo Ash Matt	CS1931-12020	Wood Effect	72
Krea Alamo Ash Slip Resistant	CS1932-12020	Wood Effect	72
Krea Alamo Natural Matt	CS1933-12020	Wood Effect	72
Krea Alamo Natural Slip Resistant	CS1934-12020	Wood Effect	72
Lakeland Blanco	CS2205-9015	Wood Effect	78
Lakeland Taupe	CS2206-9015	Wood Effect	78
Lignum Beige Anti Slip	CB05-032-10016	Wood Effect	68
Lignum Beige Natural	CB05-031-10016	Wood Effect	68
Lignum Cream Anti Slip	CB05-029-10016	Wood Effect	68
Lignum Cream Natural	CB05-028-10016	Wood Effect	68
Lignum Grey Anti Slip	CB05-035-10016	Wood Effect	70
Lignum Grey Natural	CB05-034-10016	Wood Effect	70
Lignum Nut Anti Slip	CB05-044-10016	Wood Effect	70
Lignum Nut Natural	CB05-043-10016	Wood Effect	70
Lignum Taupe Anti Slip	CB05-041-10016	Wood Effect	70
Lignum Taupe Natural	CB05-040-10016	Wood Effect	70
Lignum White Anti Slip	CB05-026-10016	Wood Effect	68
Lignum White Natural	CB05-025-10016	Wood Effect	68
Madison Silver	CS1108-5020	Feature Tiles	118
Madison White	CS1106-5020	Feature Tiles	118
Madison White Mixed Gloss	CS2146-5020	Feature Tiles	118
Maison Blanc Maison Blanc	CS2032-6030	Neutral	112
Malibu Fog	CS2238-6060	Stone effect	20
Malibu Sand	CS2237-6060	Stone Effect	20
Marmi Classico Noir St. Laurent	CS1143-12060	Stone Effect	16
Marmi Classico Paille St. Laurent	CS1144-12060	Stone Effect	16
Mediterraneo Grey Matt	CS2255-9090	Stone Effect	36
Mediterraneo Grey Polished	CS2256-9090	Stone Effect	36
Mediterraneo Off White Matt	CS2084-9090	Stone	34
Mediterraneo Off White Matt Polished	CS2086-9090	Stone	34
Mediterraneo Soft Beige Matt	CS2253-9090	Stone Effect	36
Mediterraneo Soft Beige Polished	CS2254-9090	Stone Effect	36
Mescla Grey	CS2252-6030	Stone Effect	38
Mescla Off White	CS2251-6030	Stone Effect	38
Metal Effect Metallic Copper	CS975-6030	Metal Effect	58
Metal Effect Metallic Copper	CS975-6060	Metal Effect	58
Metal Effect Metallic Copper Lin. Mosaic	CS975-LINMOS	Metal Effect	60
Metal Effect Metallic Steel	CS974-6030	Metal Effect	58

## Index by name

Name	Code	Section	Page
Metal Effect Metallic Steel	CS974-6060	Metal Effect	58
Metal Effect Metallic Steel Linear Mosaic	CS974-LINMOS	Metal Effect	60
Metal Effect Steel	CS944-12060	Metal Effect	56
Mineral Grafite Natural	CS741-6060	Neutral	102
Mineral Grafite Polished	CS743-6060	Neutral	102
Mineral Grafite Structured	CS742-6060	Neutral	102
Mineral Nude Natural	CS744-6030	Neutral	100
Mineral Nude Natural	CS744-6060	Neutral	100
Mineral Nude Natural	CS744-9090	Neutral	100
Mineral Nude Polished	CS746-6030	Neutral	100
Mineral Nude Polished	CS746-6060	Neutral	100
Mineral Nude Polished	CS746-9090	Neutral	100
Mineral Nude Structured	CS745-6030	Neutral	100
Mineral Nude Structured	CS745-6060	Neutral	100
Mineral Off White Natural	CS750-6030	Neutral	100
Mineral Off White Natural	CS750-6060	Neutral	100
Mineral Off White Natural	CS750-9090	Neutral	100
Mineral Off White Polished	CS752-6030	Neutral	100
Mineral Off White Polished	CS752-6060	Neutral	100
Mineral Off White Polished	CS752-9090	Neutral	100
Mineral Off White Structured	CS751-6030	Neutral	100
Mineral Off White Structured	CS751-6060	Neutral	100
Mineral Portland Natural	CS747-6030	Neutral	102
Mineral Portland Natural	CS747-6060	Neutral	102
Mineral Portland Natural	CS747-9090	Neutral	102
Mineral Portland Polished	CS749-6030	Neutral	102
Mineral Portland Polished	CS749-6060	Neutral	102
Mineral Portland Polished	CS749-9090	Neutral	102
Mineral Portland Structured	CS748-6030	Neutral	102
Mineral Portland Structured	CS748-6060	Neutral	102
Montblanc Anthracite	CS1037-5020	Feature Tiles	114
Montblanc Anthracite Brick	CS1037-3007	Feature Tiles	116
Montblanc Blue	CS1036-5020	Feature Tiles	114
Montblanc Blue Brick	CS1036-3007	Feature Tiles	116
Montblanc Décor Blue	CS1038-5020	Feature Tiles	114
Montblanc Décor Pearl	CS1039-5020	Feature Tiles	114
Montblanc Pearl	CS1035-5020	Feature Tiles	114
Montblanc Pearl Brick	CS1035-3007	Feature Tiles	116
Montblanc Smart Blue	CS1040-5020	Feature Tiles	116
Montblanc Smart Pearl	CS1041-5020	Feature Tiles	116
Montblanc White	CS1034-5020	Feature Tiles	114
Montblanc White Brick	CS1034-3007	Feature Tiles	116



# Index by name

Name	Code	Section	Page
Neptune Gris	CS2258-6030	Stone Effect	40
Neptune Ice	CS2359-6030	Stone Effect	40
Neptune Ivory	CS2259-6030	Stone Effect	40
Nero Venato	CS2142-12060	Stone Effect	18
Nord Ris	CS2187-6060	Concrete Effect	84
Oakwood Beige	CS1212-9015	Wood Effect	76
Oakwood Brown	CS1211-9015	Wood Effect	76
Oakwood Grey	CS1213-9015	Wood Effect	76
Oakwood Nut	CS1210-9015	Wood Effect	76
Oxide White Lappatto	CS1120-12020	Metal Effect	62
Peggy Grigio	CS2188-6060	Stone Effect	82
Pierre Belle Matt	CS2159-6060	Stone Effect	22
Pierre Belle Polished	CS2160-6060	Stone Effect	22
Pietra Lombarda Grigio Matt	CS2236-6060	Stone Effect	06
Pietra Lombarda Off White Matt	CS2190-9090	Stone Effect	06
Pietra Lombarda Grigio Matt	CS2236-9090	Stone Effect	06
Pietra Lombarda Off White Matt	CS2190-6060	Stone Effect	06
Portland Stone Ash Matt	CS2161-12060	Stone Effect	28
Portland Stone Ash Matt	CS2161-6060	Stone Effect	28
Portland Stone Ash Matt	CS2162-6060	Stone Effect	28
Rush Copper	CS2152-6030	Metal Effect	50
Rush Steel	CS2153-6030	Metal Effect	50
Rush White	CS2173-6030	Metal Effect	50
Sandstorm Gobi	CS1200-6030	Stone Effect	30
Sandstorm Kalahari	CS1201-6030	Stone Effect	30
Sandstorm Mojave	CS1202-6030	Stone Effect	30
Sandstorm Sahara	CS1203-6030	Stone Effect	30
Simplesmente Natural White	CS614-6060	Neutral	104
St Martin	CS2241-12060	Marble Effect	08
Steel Black	CS2165-12060	Metal Effect	54
Steel Concept	CS2163-12060	Metal Effect	52
Steel Midnight Blue	CS2164-12060	Metal Effect	54
Toronto Grey Matt	CS2155-9090	Concrete Effect	88
Toronto Off White Matt	CS2154-9090	Concrete Effect	88
View Grey	CS2144-6030	Concrete Effect	92
View Off White	CS2136-6030	Neutral	92



Montblanc Blue CS1036-5020 see page 114

# Index by code

Code	Name	Range	Section	Page
CB05-025-10016	White Natural	Lignum	Wood Effect	66
CB05-026-10016	White Anti Slip	Lignum	Wood Effect	66
CB05-028-10016	Cream Natural	Lignum	Wood Effect	66
CB05-029-10016	Cream Anti Slip	Lignum	Wood Effect	66
CB05-031-10016	Beige Natural	Lignum	Wood Effect	66
CB05-032-10016	Beige Anti Slip	Lignum	Wood Effect	66
CB05-034-10016	Grey Natural	Lignum	Wood Effect	70
CB05-035-10016	Grey Anti Slip	Lignum	Wood Effect	70
CB05-040-10016	Taupe Natural	Lignum	Wood Effect	70
CB05-041-10016	Taupe Anti Slip	Lignum	Wood Effect	70
CB05-043-10016	Nut Natural	Lignum	Wood Effect	70
CB05-044-10016	Nut Anti Slip	Lignum	Wood Effect	70
CS1034-3007	White Brick	Montblanc	Feature Tiles	116
CS431-6030	Classic White Ice Glazed	Classic Whites	Neutral	106
CS614-6060	Natural White	Simplesmente	Neutral	104
CS741-6060	Grafite Natural	Mineral	Neutral	102
CS742-6060	Grafite Structured	Mineral	Neutral	102
CS743-6060	Grafite Polished	Mineral	Neutral	102
CS744-6030	Nude Natural	Mineral	Neutral	100
CS744-6060	Nude Natural	Mineral	Neutral	100
CS744-9090	Nude Natural	Mineral	Neutral	100
CS745-6030	Nude Structured	Mineral	Neutral	100
CS745-6060	Nude Structured	Mineral	Neutral	100
CS746-6030	Nude Polished	Mineral	Neutral	100
CS746-6060	Nude Polished	Mineral	Neutral	100
CS746-9090	Nude Polished	Mineral	Neutral	100
CS747-6030	Portland Natural	Mineral	Neutral	102
CS747-6060	Portland Natural	Mineral	Neutral	102
CS747-9090	Portland Natural	Mineral	Neutral	102
CS748-6030	Portland Structured	Mineral	Neutral	102
CS748-6060	Portland Structured	Mineral	Neutral	102
CS749-6030	Portland Polished	Mineral	Neutral	102
CS749-6060	Portland Polished	Mineral	Neutral	102
CS749-9090	Portland Polished	Mineral	Neutral	102
CS750-6030	Off White Natural	Mineral	Neutral	100
CS750-6060	Off White Natural	Mineral	Neutral	100
CS750-9090	Off White Natural	Mineral	Neutral	100
CS751-6030	Off White Structured	Mineral	Neutral	100
CS751-6060	Off White Structured	Mineral	Neutral	100
CS752-6030	Off White Polished	Mineral	Neutral	100
CS752-6060	Off White Polished	Mineral	Neutral	100
CS752-9090	Off White Polished	Mineral	Neutral	100
CS777-6030	Ice White Rectified Gloss	Classic Whites	Neutral	106
CS778-6030	Ice White Rectified Matt	Classic Whites	Neutral	106
CS936-12020	Brasilia Cinza Rectified	Brasilia	Concrete Effect	86
CS944-12060	Steel	Metal Effect	Metal Effect	56
CS974-6030	Metallic Steel	Metal Effect	Metal Effect	58
CS974-6060	Metallic Steel	Metal Effect	Metal Effect	58
CS974-LINMOS	Metallic Steel Linear Mosaic	Metal Effect	Metal Effect	60
CS975-6030	Metallic Copper	Metal Effect	Metal Effect	58
CS975-6060	Metallic Copper	Metal Effect	Metal Effect	58
CS975-LINMOS	Metallic Copper Linear Mosaic	Metal Effect	Metal Effect	60
CS1034-5020	White	Montblanc	Feature Tiles	114
CS1035-3007	Pearl Brick	Montblanc	Feature Tiles	116
CS1035-5020	Pearl	Montblanc	Feature Tiles	114
CS1036-3007	Blue Brick	Montblanc	Feature Tiles	116
CS1036-5020	Blue	Montblanc	Feature Tiles	114
CS1037-3007	Anthracite Brick	Montblanc	Feature Tiles	116
CS1037-5020	Anthracite	Montblanc	Feature Tiles	114
CS1038-5020	Décor Blue	Montblanc	Feature Tiles	114
CS1039-5020	Décor Pearl	Montblanc	Feature Tiles	114
CS1040-5020	Smart Blue	Montblanc	Feature Tiles	116
CS1041-5020	Smart Pearl	Montblanc	Feature Tiles	116
CS1051-12020	Carvalo Natural	Arbo	Wood Effect	74
CS1052-12020	Carvalo Textured Slip Res.	Arbo	Wood Effect	74
CS1053-12020	Carvalo Décor	Arbo	Wood Effect	74
CS1061-9015	White	Amelia	Stone Effect	24
CS1061-9022	White	Amelia	Stone Effect	24
CS1061-9045	White	Amelia	Stone Effect	24
CS1062-9015	Grey	Amelia	Stone Effect	26
CS1062-9022	Grey	Amelia	Stone Effect	26
CS1062-9045	Grey	Amelia	Stone Effect	26
CS1063-9015	Carbon	Amelia	Stone Effect	26
CS1063-9022	Carbon	Amelia	Stone Effect	26
CS1063-9045	Carbon	Amelia	Stone Effect	26
CS1106-5020	White	Madison	Feature Tiles	118
CS1108-5020	Silver	Madison	Feature Tiles	118
CS1120-12020	White Lappatto	Oxide	Metal Effect	62
CS1143-12060	Noir St. Laurent	Marmi Classico	Stone Effect	14
CS1144-12060	Paille St. Laurent	Marmi Classico	Stone Effect	14
CS1158-6060	Fontenay Grey	French Ltone	Stone Effect	44
CS1159-6060	Cormatin Blue	French Lime St.	Stone Effect	44
CS1173-6030	Bianco Carrara Matt	Marble Carrara	Stone Effect	14
CS1173-6060	Bianco Carrara Matt	Marble Carrara	Stone Effect	14

# Index by code

Code	Name	Range	Section	Page
CS1174-6030	Bianco Carrara Polished	Marble Carrara	Stone Effect	14
CS1174-6060	Bianco Carrara Polished	Marble Carrara	Stone Effect	14
CS1188-6030-A	White	Alaska	Stone Effect	42
CS1188-6060-A	White	Alaska	Stone Effect	42
CS1189-6030-A	Grey	Alaska	Stone Effect	42
CS1189-6060-A	Grey	Alaska	Stone Effect	42
CS1190-6030-A	Beige	Alaska	Stone Effect	42
CS1190-6060-A	Beige	Alaska	Stone Effect	42
CS1200-6030	Gobi	Sandstorm	Stone Effect	30
CS1201-6030	Kalahari	Sandstorm	Stone Effect	30
CS1202-6030	Mojave	Sandstorm	Stone Effect	30
CS1203-6030	Sahara	Sandstorm	Stone Effect	30
CS1204-6030	White	Celaya	Concrete Effect	90
CS1204-6060	White	Celaya	Concrete Effect	90
CS1205-6030	Grey	Celaya	Concrete Effect	90
CS1206-6030	Black	Celaya	Concrete Effect	90
CS1210-9015	Nut	Oakwood	Wood Effect	76
CS1211-9015	Brown	Oakwood	Wood Effect	76
CS1212-9015	Beige	Oakwood	Wood Effect	76
CS1213-9015	Grey	Oakwood	Wood Effect	76
CS1931-12020	Alamo Ash Matt	Krea	Wood Effect	72
CS1932-12020	Alamo Ash Slip Resistant	Krea	Wood Effect	72
CS1933-12020	Alamo Natural Matt	Krea	Wood Effect	72
CS1934-12020	Alamo Nat.Slip Resistant	Krea	Wood Effect	72
CS2015-6030	Venezia Bianco Matt	City Range	Neutral	96
CS2015-6060	Venezia Bianco Matt	City Range	Neutral	96
CS2016-6030	Venezia Bianco Polished	City Range	Neutral	96
CS2016-6060	Venezia Bianco Polished	City Range	Neutral	96
CS2019-6030	Modena Avorio Matt	City Range	Neutral	96
CS2019-6060	Modena Avorio Matt	City Range	Neutral	96
CS2020-6030	Modena Avorio Polished	City Range	Neutral	96
CS2020-6060	Modena Avorio Polished	City Range	Neutral	96
CS2023-6030	Catania Ash Matt	City Range	Neutral	98
CS2023-6060	Catania Ash Matt	City Range	Neutral	98
CS2024-6030	Catania Ash Polished	City Range	Neutral	98
CS2024-6060	Catania Ash Polished	City Range	Neutral	98
CS2025-6030	Lucca Nero Matt	City Range	Neutral	98
CS2025-6060	Lucca Nero Matt	City Range	Neutral	98
CS2026-6030	Lucca Nero Polished	City Range	Neutral	98
CS2026-6060	Lucca Nero Polished	City Range	Neutral	98
CS2032-6030	Maison Blanc	Maison Blanc	Neutral	112
CS2084-9090	Off White Matt	Mediterraneo	Stone	34



Bianco Floe CS2156-12060 see page 12 and Oakwood Grey CS1213-9015 see page 76

# Index by code


Code	Name	Range	Section	Page
CS2086-9090	Off White Matt Polished	Mediterraneo	Stone	34
CS2136-6030	Off White	View	Neutral	92
CS2139-6030	White Polished	Amelia	Stone Effect	24
CS2140-6030	Grey Polished	Amelia	Stone Effect	26
CS2141-6030	Carbon Polished	Amelia	Stone Effect	26
CS2142-12060	Nero Venato	Marble Carrara	Stone Effect	18
CS2144-6030	Grey	View	Concrete Effect	92
CS2146-5020	White Mix Gloss	Madison	Feature Tiles	118
CS2152-6030	Copper	Rush	Metal Effect	50
CS2153-6030	Steel	Rush	Metal Effect	50
CS2154-9090	Off White Matt	Toronto	Concrete Effect	88
CS2155-9090	Grey Matt	Toronto	Concrete Effect	88
CS2156-12060	Bianco Floe	Marble Carrara	Stone Effect	12
CS2156-6060	Bianco Floe	Marble Carrara	Stone Effect	12
CS2159-6060	Pierre Belle Blanc Matt	Marble Carrara	Stone Effect	22
CS2160-6060	Pierre Belle Blanc Polished	Marble Carrara	Stone Effect	22
CS2161-12060	Ash Matt	Portland Stone	Stone Effect	28
CS2161-6060	Ash Matt	Portland Stone	Stone Effect	28
CS2162-6060	Ash Matt	Portland Stone	Stone Effect	28
CS2163-12060	Concept	Steel	Metal Effect	52
CS2164-12060	Midnight Blue	Steel	Metal Effect	54
CS2165-12060	Black	Steel	Metal Effect	54
CS2169-6020	Pearl Satin	Essential	Neutral	32
CS2170-6020	White Satin	Essential	Neutral	32
CS2173-6030	White	Rush	Metal Effect	50
CS2179-6060	Black	Kaamos	Stone Effect	46
CS2180-6060	Grey	Kaamos	Stone Effect	46
CS2181-6060	Ivory	Kaamos	Stone Effect	46
CS2182-6060	Black	Kaamos	Stone Effect	46
CS2183-6060	Grey	Kaamos	Stone Effect	46
CS2184-6060	Ivory	Kaamos	Stone Effect	46
CS2187-6060	Nord Ris	Nord Ris	Concrete Effect	84
CS2188-6060	Peggy Grigio	Peggy Grigio	Stone Effect	82
CS2190-9090	Off White Matt	Pietra Lombarda	Stone Effect	06
CS2190-6060	Off White Matt	Pietra Lombarda	Stone Effect	06
CS2205-9015	Blanco	Lakeland	Wood Effect	78
CS2206-9015	Taupe	Lakeland	Wood Effect	78
CS2261-7525	White Décor	Fusuma	Fabric Effect	110
CS2262-7525	Ivory Décor	Fusuma	Fabric Effect	110
CS2223-7525	White	Fusuma	Fabric Effect	110
CS2224-7525	Ivory	Fusuma	Fabric Effect	110
CS2236-9090	Grigio Matt	Pietra Lombarda	Stone Effect	06

Code	Name	Range	Section	Page
CS2236-6060	Grigio Matt	Pietra Lombarda	Stone Effect	06
CS2237-6060	Sand	Malibu	Stone Effect	20
CS2238-6060	Fog	Malibu	Stone effect	20
CS2239-12020	Mix	Boreal	Wood Effect	66
CS2240-12020	Natural	Boreal	Wood Effect	66
CS2241-12060	St Martin	St Martin	Marble Effect	08
CS2242-12060	Bianco Oro Polished	Marble Classico	Marble Effect	10
CS2242-9090	Bianco Oro Polished	Marble Classico	Marble Effect	10
CS2251-6030	Off White	Mescla	Stone Effect	38
CS2252-6030	Grey	Mescla	Stone Effect	38
CS2253-9090	Soft Beige Matt	Mediterraneo	Stone Effect	36
CS2254-9090	Soft Beige Polished	Mediterraneo	Stone Effect	36
CS2255-9090	Grey Matt	Mediterraneo	Stone Effect	36
CS2256-9090	Grey Polished	Mediterraneo	Stone Effect	36
CS2258-6030	Gris	Neptune	Stone Effect	40
CS2259-6030	Ivory	Neptune	Stone Effect	40
CS2359-6030	Ice	Neptune	Stone Effect	40



**Living**

Showstopping large format decorative tiles for walls and floors



**Mosaics**

Glorious mosaics in every material and style imaginable



**Glassworks**

A dazzling collection of glass tiles



**Earthworks**

The beauty of natural stone for walls and floors

**GENERAL ENQUIRIES**

Tel: +44 (0)1392 473004

**UK SALES**

Tel: +44 (0)1392 473000

**EXPORT SALES**

Tel: +44 (0)1392 473001

**Email:** [info@originalstyle.com](mailto:info@originalstyle.com)

**Website:** [www.originalstyle.com](http://www.originalstyle.com)



**ORIGINALSTYLE**

Tiles to Inspire

The 'Original Style' logo is a registered trade mark of Original Style Ltd. Original Style Limited is registered in England number 3018117. Registered Office: Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

Your Original Style stockist

£2.00 €3.00 \$3.50

TWORKS8/08/20

Printed using Vegetable inks and Green energy

© Copyright Original Style Ltd 2020